



PERGOLA DETAILS









DRAWN: EP O2/08/2023 APPROVED:

DESCRIPTION:


PERGOLA DETAILS

SHEET 1 OF 4
SCALE 1:50
WEIGHT: 162.63

N/A

THE INFORMATION CONTAINED IN THIS DRAWING IS PROTECTED BY COPYRIGHT AND PATENT LAWS OF THE UNITED STATES AND OTHER COUNTRIES. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED.

PERGOLA PROFILES



CORNER BRACE


DRAWN: EP DATE: 02/08/2023 DESCRIPTION:


PERGOLA PROFILES

SHEET 2 OF 4 REVISION PART NUMBER N/A

WEIGHT: 8.36


THE INFORMATION CONTAINED IN THIS DRAWING IS PROTECTED BY COPYRIGHT AND PATENT LAWS OF THE UNITED STATES AND OTHER COUNTRIES. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED.






PERGOLA POST AND SURFACE MOUNT DETAILS

NOTE: IMAGES ONLY REFERENCE 2" AND 2.5" POSTS.



POST BASE CONNECTION INTO CONCRETE WITH WEDGE ANCHORS

POST BASE CONNECTION INTO WOOD WITH THROUGH BOLTS




NOTE:

THE INFORMATION CONTAINED IN THIS DRAWING IS PROTECTED BY COPYRIGHT AND PATENT LAWS OF THE UNITED STATES AND OTHER COUNTRIES. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED.

1. COMMERCIAL APPLICATIONS ARE ALWAYS BOLTED, USE 3/8" DIAMETER A307 THROUGH BOLTS INTO SOLID WOOD BLOCKING.

- 2. WOOD BLOCKING BY OTHERS.
- 3. BLOCKING MUST BE DESIGNED TO WITHSTAND PROPER LOADING.



DRAWN: EP DATE: 02/08/2023 PAPPROVED:

DESCRIPTION: PERGOLA POST AND SURFACE MOUNT

DETAIL

SHEET 4 OF 4 REVISION PART NUMBER

SCALE 1:16 N/A